



**HOSPITAL REGIONAL DOCENTE
JUAN PABLO PINA**



REQUISICION DE COMPRA

REQUISICION: 06-18

1 dic 19

DIAMELAB S.R.L.

C/Primera Sector Invi Cae Voca Chica, Sto. Dgo. Rep. Dom.

DESCRIPCION	PRESENTACION	CANTIDAD SOLICITADA
ASO LATEX WAMA 100 TEST	UND	3
HVC AB PLUS ARIA RAPID TEST	UND	210
HCG COMBO RAPID TEST ARIA	UND	210
PORTA OBJETO SIMPLE C/72	UND	50
TRANS-CULT MEDTRUE P/100	UND	1
TUBOS PLAST MORADOS 3ML P/100 CD-RICH	UND	60
TUBOS VAC ROJOS 6ML PLAST P/100 CD-RICH	UND	40
ANTI-A MONOCLONAL (10ML) LORNE UK	UND	10
ANTI-B MONOCLONAL (10ML) LORNE UK	UND	10
ANTI-D DUOCLONE MONOCLONAL (IGG/IGM 10 ML)	UND	10
LAPIZ DE CERA AZUL	UND	10
LAPIZ DE CERA ROJO	UND	10
TIPS AMARILLO CON ROSCA 1000 PORLAB	UND	10
UREA ENZIMATICA BIOCLIN 500 PRUEBAS	UND	3
CREATININA P.F.Y CINE 200ML BIOCLIN	UND	8
TRIGLICERIDOS BIOCLIN 40ML	UND	4
GLUCOSA BIOCLIN 500 ML	UND	3
COLESTEROL 200ML BIOCLIN	UND	4
LIPASA COLORIMETRICA BIOCLIN 40ML	UND	3
AMILASA COLOR BIOCLIN 50ML	UND	2
POTASSIUM CYPRESS 2x50ML	UND	2



CONTRALORÍA GENERAL
DE LA REPUBLICA DOMINICANA

31 MAY 2021

REVISADO
Unidad de Auditoria Interna

FOSFASTASA ALK CINETIC BIOCLIN 1x108+1x12	UND	1
ALBUMINA COLORIN 250ML BIOCLIN	UND	2
BILIRRUBINA BIOCLIN 250ML	UND	2
CALIBRADOR BILIRRUBINA COLOR BIOCLIN	UND	2
TRANSAMINASA (TGO) CINETICA 2x40+2x10ML	UND	1
TRANSAMINASA (TGP) CINETICA 2x40+2x10ML	UND	1
PROTEINA TOTAL COLORIM 250ML BIOCLIN	UND	2

RESPONSABLE

LICDO. ANGEL LUIS FERREIRA

